EXCELCHEM
Environmental Labs

1135 W Sunset Boulevard
Suite A
Rocklin, CA 95765
Phone# 916-543-4445
Fax# 916-543-4449

ELAP Certificate No. : 2119

30 April 2012

Calvin Yang

RWQC Central Valley

11020 Sun Center Dr. #200

Rancho Cordova, CA 95670

RE: MUN Evaluation

Work order number:1204188

Enclosed are the results of analyses for samples received by the laboratory on 04/17/12 16:10. All Quality Control results are within acceptable limits except where noted as a case narrative. If you have any questions concerning this report, please feel free to contact the laboratory.

Sincerely,

John Somers, Lab Director

Excelchem Environmental Labs

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21

ANALYTICAL REPORT FOR SAMPLES

Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
AWL 120417-30	1204188-01	Water	04/17/12 09:20	04/17/12 16:10
AWL 120417-31	1204188-02	Water	04/17/12 09:01	04/17/12 16:10
AWL 120417-32	1204188-03	Water	04/17/12 09:43	04/17/12 16:10
AWL 120417-33	1204188-04	Water	04/17/12 11:12	04/17/12 16:10
AWL 120417-34	1204188-05	Water	04/17/12 13:20	04/17/12 16:10
AWL 120417-35	1204188-06	Water	04/17/12 12:53	04/17/12 16:10
AWL 120417-36	1204188-07	Water	04/17/12 11:42	04/17/12 16:10
AWL 120417-37	1204188-08	Water	04/17/12 12:10	04/17/12 16:10

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21

AWL 120417-30

1204188-01 (Water)

Analyte	Result	Reporting Limit	MDL	Units	DF	Batch	Date Prepared	Date Analyzed	Method	Notes
Metals by 200 series										
Aluminum	**1100**	50.0	24.5	ug/l	1	AVD0360	04/19/12	04/26/12	EPA 200.7	
Arsenic	ND	10.0	1.0	"	1	"	"	"	"	
Boron	**235**	50.0	0.8	"	1	"	"	"	"	
Iron	**1460**	20.0	11.5	"	1	"	"	"	"	
Manganese	**107**	10.0	0.6	"	1	"	"	"	"	
Sodium	**132000**	200	120	"	1	"	"	"	"	
Volatile Organic Compounds by GC/MS										
Gasoline Range Hydrocarbons	ND	50.0	9.0	ug/l	1	AVD0260	04/18/12	04/18/12	EPA 8260B	
Ethanol	ND	20.0	2.6	"	1	"	"	"	"	
TBA	ND	5.0	1.2	"	1	"	"	"	"	
Methyl tert-Butyl Ether	ND	0.5	0.07	"	1	"	"	"	"	
Di-isopropyl ether	ND	0.5	0.07	"	1	"	"	"	"	
Ethyl tert-Butyl Ether	ND	0.5	0.06	"	1	"	"	"	"	
Tert-Amyl Methyl Ether	ND	0.5	0.08	"	1	"	"	"	"	
Dichlorodifluoromethane	ND	0.5	0.1	"	1	"	"	"	"	
Chloromethane	ND	0.5	0.1	"	1	"	"	"	"	
Vinyl chloride	ND	0.5	0.08	"	1	"	"	"	"	
Bromomethane	ND	0.5	0.2	"	1	"	"	"	"	
Chloroethane	ND	0.5	0.2	"	1	"	"	"	"	
Trichlorofluoromethane	ND	0.5	0.1	"	1	"	"	"	"	
Trichlorotrifluoroethane	ND	1.0	0.1	"	1	"	"	"	"	
Acetone	ND	5.0	0.6	"	1	"	"	"	"	
1,1-Dichloroethene	ND	0.5	0.05	"	1	"	"	"	"	
Iodomethane	ND	0.5	0.09	"	1	"	"	"	"	
Methylene chloride	ND	5.0	0.1	"	1	"	"	"	"	
Carbon disulfide	ND	0.5	0.08	"	1	"	"	"	"	
trans-1,2-Dichloroethene	ND	0.5	0.08	"	1	"	"	"	"	
1,1-Dichloroethane	ND	0.5	0.07	"	1	"	"	"	"	
2-Butanone	ND	5.0	0.4	"	1	"	"	"	"	
2,2-Dichloropropane	ND	0.5	0.2	"	1	"	"	"	"	
cis-1,2-Dichloroethene	ND	0.5	0.08	"	1	"	"	"	"	
Bromochloromethane	ND	0.5	0.2	"	1	"	"	"	"	
Chloroform	ND	0.5	0.1	"	1	"	"	"	"	
1,1,1-Trichloroethane	ND	0.5	0.08	"	1	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21

AWL 120417-30

1204188-01 (Water)

Analyte	Result	Reporting Limit	MDL	Units	DF	Batch	Date Prepared	Date Analyzed	Method	Notes
Volatile Organic Compounds by GC/MS										
Carbon tetrachloride	ND	0.5	0.1	ug/l	1	AVD0260	04/18/12	04/18/12	"	
1,1-Dichloropropene	ND	0.5	0.08	"	1	"	"	"	"	
Benzene	ND	0.5	0.06	"	1	"	"	"	"	
1,2-Dichloroethane	ND	0.5	0.09	"	1	"	"	"	"	
Dibromomethane	ND	0.5	0.1	"	1	"	"	"	"	
Trichloroethene	ND	0.5	0.09	"	1	"	"	"	"	
Bromodichloromethane	ND	0.5	0.1	"	1	"	"	"	"	
1,2-Dichloropropane	ND	0.5	0.1	"	1	"	"	"	"	
cis-1,3-Dichloropropene	ND	0.5	0.08	"	1	"	"	"	"	
4-Methyl-2-pentanone	ND	5.0	0.3	"	1	"	"	"	"	
Toluene	ND	0.5	0.09	"	1	"	"	"	"	
trans-1,3-Dichloropropene	ND	0.5	0.1	"	1	"	"	"	"	
1,1,2-Trichloroethane	ND	0.5	0.09	"	1	"	"	"	"	
Tetrachloroethene	ND	0.5	0.2	"	1	"	"	"	"	
1,3-Dichloropropane	ND	0.5	0.2	"	1	"	"	"	"	
2-Hexanone	ND	5.0	0.4	"	1	"	"	"	"	
Dibromochloromethane	ND	0.5	0.08	"	1	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.5	0.09	"	1	"	"	"	"	
Chlorobenzene	ND	0.5	0.08	"	1	"	"	"	"	
1,1,1,2-Tetrachloroethane	ND	0.5	0.1	"	1	"	"	"	"	
Ethylbenzene	ND	0.5	0.06	"	1	"	"	"	"	
m,p-Xylene	ND	1.0	0.1	"	1	"	"	"	"	
o-Xylene	ND	0.5	0.08	"	1	"	"	"	"	
Xylenes, total	ND	1.0	0.2	"	1	"	"	"	"	
Styrene	ND	0.5	0.08	"	1	"	"	"	"	
Bromoform	ND	0.5	0.1	"	1	"	"	"	"	
Isopropylbenzene	ND	0.5	0.09	"	1	"	"	"	"	
Bromobenzene	ND	0.5	0.09	"	1	"	"	"	"	
1,1,2,2-Tetrachloroethane	ND	0.5	0.2	"	1	"	"	"	"	
1,2,3-Trichloropropane	ND	0.5	0.1	"	1	"	"	"	"	
n-Propylbenzene	ND	0.5	0.07	"	1	"	"	"	"	
2-Chlorotoluene	ND	0.5	0.1	"	1	"	"	"	"	
4-Chlorotoluene	ND	0.5	0.2	"	1	"	"	"	"	
1,3,5-Trimethylbenzene	ND	0.5	0.1	"	1	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21

AWL 120417-30

1204188-01 (Water)

Analyte	Result	Reporting Limit	MDL	Units	DF	Batch	Date Prepared	Date Analyzed	Method	Notes
Volatile Organic Compounds by GC/MS										
tert-Butylbenzene	ND	0.5	0.1	ug/l	1	AVD0260	04/18/12	04/18/12	"	
1,2,4-Trimethylbenzene	ND	0.5	0.09	"	1	"	"	"	"	
sec-Butylbenzene	ND	0.5	0.07	"	1	"	"	"	"	
1,3-Dichlorobenzene	ND	0.5	0.1	"	1	"	"	"	"	
4-Isopropyltoluene	ND	0.5	0.1	"	1	"	"	"	"	
1,4-Dichlorobenzene	ND	0.5	0.1	"	1	"	"	"	"	
1,2-Dichlorobenzene	ND	0.5	0.2	"	1	"	"	"	"	
n-Butylbenzene	ND	0.5	0.08	"	1	"	"	"	"	
1,2-Dibromo-3-chloropropane	ND	0.5	0.3	"	1	"	"	"	"	
1,2,4-Trichlorobenzene	ND	0.5	0.09	"	1	"	"	"	"	
Hexachlorobutadiene	ND	0.5	0.2	"	1	"	"	"	"	
Naphthalene	ND	0.5	0.1	"	1	"	"	"	"	
1,2,3-Trichlorobenzene	ND	0.5	0.2	"	1	"	"	"	"	
Surrogate: Dibromofluoromethane	*99.8 %*	% Recovery Limits		*70-130*					*"*	
Surrogate: Toluene-d8	*101 %*	% Recovery Limits		*70-130*					*"*	
Surrogate: 4-Bromofluorobenzene	*97.9 %*	% Recovery Limits		*70-130*					*"*	
Wet Chemistry										
MBAS	ND	0.100	0.0600	mg/L	1	AVD0284	04/18/12	04/19/12	SM5540C	
Ion Chromatography										
Nitrate as Nitrogen	**1.61**	0.11	0.02	mg/L	1	AVD0287	04/17/12	04/17/12	EPA 300.0	
Nitrite as Nitrogen	ND	0.15	0.02	"	1	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21

AWL 120417-31

1204188-02 (Water)

Analyte	Result	Reporting Limit	MDL	Units	DF	Batch	Date Prepared	Date Analyzed	Method	Notes
Metals by 200 series										
Aluminum	**133**	50.0	24.5	ug/l	1	AVD0360	04/19/12	04/26/12	EPA 200.7	
Arsenic	ND	10.0	1.0	"	1	"	"	"	"	
Boron	**237**	50.0	0.8	"	1	"	"	"	"	
Iron	**27.8**	20.0	11.5	"	1	"	"	"	"	
Manganese	**38.0**	10.0	0.6	"	1	"	"	"	"	
Sodium	**169000**	200	120	"	1	"	"	"	"	
Volatile Organic Compounds by GC/MS										
Gasoline Range Hydrocarbons	ND	50.0	9.0	ug/l	1	AVD0260	04/18/12	04/18/12	EPA 8260B	
Ethanol	ND	20.0	2.6	"	1	"	"	"	"	
TBA	ND	5.0	1.2	"	1	"	"	"	"	
Methyl tert-Butyl Ether	ND	0.5	0.07	"	1	"	"	"	"	
Di-isopropyl ether	ND	0.5	0.07	"	1	"	"	"	"	
Ethyl tert-Butyl Ether	ND	0.5	0.06	"	1	"	"	"	"	
Tert-Amyl Methyl Ether	ND	0.5	0.08	"	1	"	"	"	"	
Dichlorodifluoromethane	ND	0.5	0.1	"	1	"	"	"	"	
Chloromethane	ND	0.5	0.1	"	1	"	"	"	"	
Vinyl chloride	ND	0.5	0.08	"	1	"	"	"	"	
Bromomethane	ND	0.5	0.2	"	1	"	"	"	"	
Chloroethane	ND	0.5	0.2	"	1	"	"	"	"	
Trichlorofluoromethane	ND	0.5	0.1	"	1	"	"	"	"	
Trichlorotrifluoroethane	ND	1.0	0.1	"	1	"	"	"	"	
Acetone	ND	5.0	0.6	"	1	"	"	"	"	
1,1-Dichloroethene	ND	0.5	0.05	"	1	"	"	"	"	
Iodomethane	ND	0.5	0.09	"	1	"	"	"	"	
Methylene chloride	ND	5.0	0.1	"	1	"	"	"	"	
Carbon disulfide	ND	0.5	0.08	"	1	"	"	"	"	
trans-1,2-Dichloroethene	ND	0.5	0.08	"	1	"	"	"	"	
1,1-Dichloroethane	ND	0.5	0.07	"	1	"	"	"	"	
2-Butanone	ND	5.0	0.4	"	1	"	"	"	"	
2,2-Dichloropropane	ND	0.5	0.2	"	1	"	"	"	"	
cis-1,2-Dichloroethene	ND	0.5	0.08	"	1	"	"	"	"	
Bromochloromethane	ND	0.5	0.2	"	1	"	"	"	"	
Chloroform	**4.6**	0.5	0.1	"	1	"	"	"	"	
1,1,1-Trichloroethane	ND	0.5	0.08	"	1	"	"	"	"	

Excelchem Environmental Lab.

Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21

AWL 120417-31

1204188-02 (Water)

Analyte	Result	Reporting Limit	MDL	Units	DF	Batch	Date Prepared	Date Analyzed	Method	Notes
Volatile Organic Compounds by GC/MS										
Carbon tetrachloride	ND	0.5	0.1	ug/l	1	AVD0260	04/18/12	04/18/12	"	
1,1-Dichloropropene	ND	0.5	0.08	"	1	"	"	"	"	
Benzene	ND	0.5	0.06	"	1	"	"	"	"	
1,2-Dichloroethane	ND	0.5	0.09	"	1	"	"	"	"	
Dibromomethane	ND	0.5	0.1	"	1	"	"	"	"	
Trichloroethene	ND	0.5	0.09	"	1	"	"	"	"	
Bromodichloromethane	**1.3**	0.5	0.1	"	1	"	"	"	"	
1,2-Dichloropropane	ND	0.5	0.1	"	1	"	"	"	"	
cis-1,3-Dichloropropene	ND	0.5	0.08	"	1	"	"	"	"	
4-Methyl-2-pentanone	ND	5.0	0.3	"	1	"	"	"	"	
Toluene	ND	0.5	0.09	"	1	"	"	"	"	
trans-1,3-Dichloropropene	ND	0.5	0.1	"	1	"	"	"	"	
1,1,2-Trichloroethane	ND	0.5	0.09	"	1	"	"	"	"	
Tetrachloroethene	ND	0.5	0.2	"	1	"	"	"	"	
1,3-Dichloropropane	ND	0.5	0.2	"	1	"	"	"	"	
2-Hexanone	ND	5.0	0.4	"	1	"	"	"	"	
Dibromochloromethane	**0.2**	0.5	0.08	"	1	"	"	"	"	J
1,2-Dibromoethane (EDB)	ND	0.5	0.09	"	1	"	"	"	"	
Chlorobenzene	ND	0.5	0.08	"	1	"	"	"	"	
1,1,1,2-Tetrachloroethane	ND	0.5	0.1	"	1	"	"	"	"	
Ethylbenzene	ND	0.5	0.06	"	1	"	"	"	"	
m,p-Xylene	ND	1.0	0.1	"	1	"	"	"	"	
o-Xylene	ND	0.5	0.08	"	1	"	"	"	"	
Xylenes, total	ND	1.0	0.2	"	1	"	"	"	"	
Styrene	ND	0.5	0.08	"	1	"	"	"	"	
Bromoform	ND	0.5	0.1	"	1	"	"	"	"	
Isopropylbenzene	ND	0.5	0.09	"	1	"	"	"	"	
Bromobenzene	ND	0.5	0.09	"	1	"	"	"	"	
1,1,2,2-Tetrachloroethane	ND	0.5	0.2	"	1	"	"	"	"	
1,2,3-Trichloropropane	ND	0.5	0.1	"	1	"	"	"	"	
n-Propylbenzene	ND	0.5	0.07	"	1	"	"	"	"	
2-Chlorotoluene	ND	0.5	0.1	"	1	"	"	"	"	
4-Chlorotoluene	ND	0.5	0.2	"	1	"	"	"	"	
1,3,5-Trimethylbenzene	ND	0.5	0.1	"	1	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21

AWL 120417-31

1204188-02 (Water)

Analyte	Result	Reporting Limit	MDL	Units	DF	Batch	Date Prepared	Date Analyzed	Method	Notes
Volatile Organic Compounds by GC/MS										
tert-Butylbenzene	ND	0.5	0.1	ug/l	1	AVD0260	04/18/12	04/18/12	"	
1,2,4-Trimethylbenzene	ND	0.5	0.09	"	1	"	"	"	"	
sec-Butylbenzene	ND	0.5	0.07	"	1	"	"	"	"	
1,3-Dichlorobenzene	ND	0.5	0.1	"	1	"	"	"	"	
4-Isopropyltoluene	ND	0.5	0.1	"	1	"	"	"	"	
1,4-Dichlorobenzene	ND	0.5	0.1	"	1	"	"	"	"	
1,2-Dichlorobenzene	ND	0.5	0.2	"	1	"	"	"	"	
n-Butylbenzene	ND	0.5	0.08	"	1	"	"	"	"	
1,2-Dibromo-3-chloropropane	ND	0.5	0.3	"	1	"	"	"	"	
1,2,4-Trichlorobenzene	ND	0.5	0.09	"	1	"	"	"	"	
Hexachlorobutadiene	ND	0.5	0.2	"	1	"	"	"	"	
Naphthalene	ND	0.5	0.1	"	1	"	"	"	"	
1,2,3-Trichlorobenzene	ND	0.5	0.2	"	1	"	"	"	"	
Surrogate: Dibromofluoromethane	*101 %*	% Recovery Limits		*70-130*					*"*	
Surrogate: Toluene-d8	*100 %*	% Recovery Limits		*70-130*					*"*	
Surrogate: 4-Bromofluorobenzene	*96.9 %*	% Recovery Limits		*70-130*					*"*	
Wet Chemistry										
MBAS	ND	0.100	0.0600	mg/L	1	AVD0284	04/18/12	04/19/12	SM5540C	
Ion Chromatography										
Nitrite as Nitrogen	ND	0.15	0.02	mg/L	1	AVD0287	04/17/12	04/17/12	EPA 300.0	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21

AWL 120417-31

1204188-02RE1 (Water)

Analyte	Result	Reporting Limit	MDL	Units	DF	Batch	Date Prepared	Date Analyzed	Method	Notes
Ion Chromatography										
Nitrate as Nitrogen	**13.5**	1.10	0.25	mg/L	10	AVD0287	04/17/12	04/17/12	EPA 300.0	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21

AWL 120417-32

1204188-03 (Water)

Analyte	Result	Reporting Limit	MDL	Units	DF	Batch	Date Prepared	Date Analyzed	Method	Notes
Metals by 200 series										
Aluminum	**1130**	50.0	24.5	ug/l	1	AVD0360	04/19/12	04/26/12	EPA 200.7	
Arsenic	ND	10.0	1.0	"	1	"	"	"	"	
Boron	**236**	50.0	0.8	"	1	"	"	"	"	
Iron	**1480**	20.0	11.5	"	1	"	"	"	"	
Manganese	**97.0**	10.0	0.6	"	1	"	"	"	"	
Sodium	**137000**	200	120	"	1	"	"	"	"	
Volatile Organic Compounds by GC/MS										
Gasoline Range Hydrocarbons	ND	50.0	9.0	ug/l	1	AVD0260	04/18/12	04/18/12	EPA 8260B	
Ethanol	ND	20.0	2.6	"	1	"	"	"	"	
TBA	ND	5.0	1.2	"	1	"	"	"	"	
Methyl tert-Butyl Ether	ND	0.5	0.07	"	1	"	"	"	"	
Di-isopropyl ether	ND	0.5	0.07	"	1	"	"	"	"	
Ethyl tert-Butyl Ether	ND	0.5	0.06	"	1	"	"	"	"	
Tert-Amyl Methyl Ether	ND	0.5	0.08	"	1	"	"	"	"	
Dichlorodifluoromethane	ND	0.5	0.1	"	1	"	"	"	"	
Chloromethane	ND	0.5	0.1	"	1	"	"	"	"	
Vinyl chloride	ND	0.5	0.08	"	1	"	"	"	"	
Bromomethane	ND	0.5	0.2	"	1	"	"	"	"	
Chloroethane	ND	0.5	0.2	"	1	"	"	"	"	
Trichlorofluoromethane	ND	0.5	0.1	"	1	"	"	"	"	
Trichlorotrifluoroethane	ND	1.0	0.1	"	1	"	"	"	"	
Acetone	ND	5.0	0.6	"	1	"	"	"	"	
1,1-Dichloroethene	ND	0.5	0.05	"	1	"	"	"	"	
Iodomethane	ND	0.5	0.09	"	1	"	"	"	"	
Methylene chloride	ND	5.0	0.1	"	1	"	"	"	"	
Carbon disulfide	ND	0.5	0.08	"	1	"	"	"	"	
trans-1,2-Dichloroethene	ND	0.5	0.08	"	1	"	"	"	"	
1,1-Dichloroethane	ND	0.5	0.07	"	1	"	"	"	"	
2-Butanone	ND	5.0	0.4	"	1	"	"	"	"	
2,2-Dichloropropane	ND	0.5	0.2	"	1	"	"	"	"	
cis-1,2-Dichloroethene	ND	0.5	0.08	"	1	"	"	"	"	
Bromochloromethane	ND	0.5	0.2	"	1	"	"	"	"	
Chloroform	**0.1**	0.5	0.1	"	1	"	"	"	"	J
1,1,1-Trichloroethane	ND	0.5	0.08	"	1	"	"	"	"	

Excelchem Environmental Lab.

Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21

AWL 120417-32

1204188-03 (Water)

Analyte	Result	Reporting Limit	MDL	Units	DF	Batch	Date Prepared	Date Analyzed	Method	Notes
Volatile Organic Compounds by GC/MS										
Carbon tetrachloride	ND	0.5	0.1	ug/l	1	AVD0260	04/18/12	04/18/12	"	
1,1-Dichloropropene	ND	0.5	0.08	"	1	"	"	"	"	
Benzene	ND	0.5	0.06	"	1	"	"	"	"	
1,2-Dichloroethane	ND	0.5	0.09	"	1	"	"	"	"	
Dibromomethane	ND	0.5	0.1	"	1	"	"	"	"	
Trichloroethene	ND	0.5	0.09	"	1	"	"	"	"	
Bromodichloromethane	ND	0.5	0.1	"	1	"	"	"	"	
1,2-Dichloropropane	ND	0.5	0.1	"	1	"	"	"	"	
cis-1,3-Dichloropropene	ND	0.5	0.08	"	1	"	"	"	"	
4-Methyl-2-pentanone	ND	5.0	0.3	"	1	"	"	"	"	
Toluene	ND	0.5	0.09	"	1	"	"	"	"	
trans-1,3-Dichloropropene	ND	0.5	0.1	"	1	"	"	"	"	
1,1,2-Trichloroethane	ND	0.5	0.09	"	1	"	"	"	"	
Tetrachloroethene	ND	0.5	0.2	"	1	"	"	"	"	
1,3-Dichloropropane	ND	0.5	0.2	"	1	"	"	"	"	
2-Hexanone	ND	5.0	0.4	"	1	"	"	"	"	
Dibromochloromethane	ND	0.5	0.08	"	1	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.5	0.09	"	1	"	"	"	"	
Chlorobenzene	ND	0.5	0.08	"	1	"	"	"	"	
1,1,1,2-Tetrachloroethane	ND	0.5	0.1	"	1	"	"	"	"	
Ethylbenzene	ND	0.5	0.06	"	1	"	"	"	"	
m,p-Xylene	ND	1.0	0.1	"	1	"	"	"	"	
o-Xylene	ND	0.5	0.08	"	1	"	"	"	"	
Xylenes, total	ND	1.0	0.2	"	1	"	"	"	"	
Styrene	ND	0.5	0.08	"	1	"	"	"	"	
Bromoform	ND	0.5	0.1	"	1	"	"	"	"	
Isopropylbenzene	ND	0.5	0.09	"	1	"	"	"	"	
Bromobenzene	ND	0.5	0.09	"	1	"	"	"	"	
1,1,2,2-Tetrachloroethane	ND	0.5	0.2	"	1	"	"	"	"	
1,2,3-Trichloropropane	ND	0.5	0.1	"	1	"	"	"	"	
n-Propylbenzene	ND	0.5	0.07	"	1	"	"	"	"	
2-Chlorotoluene	ND	0.5	0.1	"	1	"	"	"	"	
4-Chlorotoluene	ND	0.5	0.2	"	1	"	"	"	"	
1,3,5-Trimethylbenzene	ND	0.5	0.1	"	1	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21

AWL 120417-32

1204188-03 (Water)

Analyte	Result	Reporting Limit	MDL	Units	DF	Batch	Date Prepared	Date Analyzed	Method	Notes
Volatile Organic Compounds by GC/MS										
tert-Butylbenzene	ND	0.5	0.1	ug/l	1	AVD0260	04/18/12	04/18/12	"	
1,2,4-Trimethylbenzene	ND	0.5	0.09	"	1	"	"	"	"	
sec-Butylbenzene	ND	0.5	0.07	"	1	"	"	"	"	
1,3-Dichlorobenzene	ND	0.5	0.1	"	1	"	"	"	"	
4-Isopropyltoluene	ND	0.5	0.1	"	1	"	"	"	"	
1,4-Dichlorobenzene	ND	0.5	0.1	"	1	"	"	"	"	
1,2-Dichlorobenzene	ND	0.5	0.2	"	1	"	"	"	"	
n-Butylbenzene	ND	0.5	0.08	"	1	"	"	"	"	
1,2-Dibromo-3-chloropropane	ND	0.5	0.3	"	1	"	"	"	"	
1,2,4-Trichlorobenzene	ND	0.5	0.09	"	1	"	"	"	"	
Hexachlorobutadiene	ND	0.5	0.2	"	1	"	"	"	"	
Naphthalene	ND	0.5	0.1	"	1	"	"	"	"	
1,2,3-Trichlorobenzene	ND	0.5	0.2	"	1	"	"	"	"	
Surrogate: Dibromofluoromethane	*98.9 %*	% Recovery Limits		*70-130*					"	
Surrogate: Toluene-d8	*101 %*	% Recovery Limits		*70-130*					"	
Surrogate: 4-Bromofluorobenzene	*96.1 %*	% Recovery Limits		*70-130*					"	
Wet Chemistry										
MBAS	ND	0.100	0.0600	mg/L	1	AVD0284	04/18/12	04/19/12	SM5540C	
Ion Chromatography										
Nitrate as Nitrogen	**4.19**	0.11	0.02	mg/L	1	AVD0287	04/17/12	04/17/12	EPA 300.0	
Nitrite as Nitrogen	ND	0.15	0.02	"	1	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21

AWL 120417-33

1204188-04 (Water)

Analyte	Result	Reporting Limit	MDL	Units	DF	Batch	Date Prepared	Date Analyzed	Method	Notes
Metals by 200 series										
Aluminum	**4040**	50.0	24.5	ug/l	1	AVD0360	04/19/12	04/26/12	EPA 200.7	
Arsenic	ND	10.0	1.0	"	1	"	"	"	"	
Boron	**268**	50.0	0.8	"	1	"	"	"	"	
Iron	**5350**	20.0	11.5	"	1	"	"	"	"	
Manganese	**214**	10.0	0.6	"	1	"	"	"	"	
Sodium	**149000**	200	120	"	1	"	"	"	"	
Volatile Organic Compounds by GC/MS										
Gasoline Range Hydrocarbons	ND	50.0	9.0	ug/l	1	AVD0260	04/18/12	04/18/12	EPA 8260B	
Ethanol	ND	20.0	2.6	"	1	"	"	"	"	
TBA	ND	5.0	1.2	"	1	"	"	"	"	
Methyl tert-Butyl Ether	ND	0.5	0.07	"	1	"	"	"	"	
Di-isopropyl ether	ND	0.5	0.07	"	1	"	"	"	"	
Ethyl tert-Butyl Ether	ND	0.5	0.06	"	1	"	"	"	"	
Tert-Amyl Methyl Ether	ND	0.5	0.08	"	1	"	"	"	"	
Dichlorodifluoromethane	ND	0.5	0.1	"	1	"	"	"	"	
Chloromethane	ND	0.5	0.1	"	1	"	"	"	"	
Vinyl chloride	ND	0.5	0.08	"	1	"	"	"	"	
Bromomethane	ND	0.5	0.2	"	1	"	"	"	"	
Chloroethane	ND	0.5	0.2	"	1	"	"	"	"	
Trichlorofluoromethane	ND	0.5	0.1	"	1	"	"	"	"	
Trichlorotrifluoroethane	ND	1.0	0.1	"	1	"	"	"	"	
Acetone	ND	5.0	0.6	"	1	"	"	"	"	
1,1-Dichloroethene	ND	0.5	0.05	"	1	"	"	"	"	
Iodomethane	ND	0.5	0.09	"	1	"	"	"	"	
Methylene chloride	ND	5.0	0.1	"	1	"	"	"	"	
Carbon disulfide	ND	0.5	0.08	"	1	"	"	"	"	
trans-1,2-Dichloroethene	ND	0.5	0.08	"	1	"	"	"	"	
1,1-Dichloroethane	ND	0.5	0.07	"	1	"	"	"	"	
2-Butanone	ND	5.0	0.4	"	1	"	"	"	"	
2,2-Dichloropropane	ND	0.5	0.2	"	1	"	"	"	"	
cis-1,2-Dichloroethene	ND	0.5	0.08	"	1	"	"	"	"	
Bromochloromethane	ND	0.5	0.2	"	1	"	"	"	"	
Chloroform	ND	0.5	0.1	"	1	"	"	"	"	
1,1,1-Trichloroethane	ND	0.5	0.08	"	1	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21

AWL 120417-33

1204188-04 (Water)

Analyte	Result	Reporting Limit	MDL	Units	DF	Batch	Date Prepared	Date Analyzed	Method	Notes
Volatile Organic Compounds by GC/MS										
Carbon tetrachloride	ND	0.5	0.1	ug/l	1	AVD0260	04/18/12	04/18/12	"	
1,1-Dichloropropene	ND	0.5	0.08	"	1	"	"	"	"	
Benzene	ND	0.5	0.06	"	1	"	"	"	"	
1,2-Dichloroethane	ND	0.5	0.09	"	1	"	"	"	"	
Dibromomethane	ND	0.5	0.1	"	1	"	"	"	"	
Trichloroethene	ND	0.5	0.09	"	1	"	"	"	"	
Bromodichloromethane	ND	0.5	0.1	"	1	"	"	"	"	
1,2-Dichloropropane	ND	0.5	0.1	"	1	"	"	"	"	
cis-1,3-Dichloropropene	ND	0.5	0.08	"	1	"	"	"	"	
4-Methyl-2-pentanone	ND	5.0	0.3	"	1	"	"	"	"	
Toluene	ND	0.5	0.09	"	1	"	"	"	"	
trans-1,3-Dichloropropene	ND	0.5	0.1	"	1	"	"	"	"	
1,1,2-Trichloroethane	ND	0.5	0.09	"	1	"	"	"	"	
Tetrachloroethene	ND	0.5	0.2	"	1	"	"	"	"	
1,3-Dichloropropane	ND	0.5	0.2	"	1	"	"	"	"	
2-Hexanone	ND	5.0	0.4	"	1	"	"	"	"	
Dibromochloromethane	ND	0.5	0.08	"	1	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.5	0.09	"	1	"	"	"	"	
Chlorobenzene	ND	0.5	0.08	"	1	"	"	"	"	
1,1,1,2-Tetrachloroethane	ND	0.5	0.1	"	1	"	"	"	"	
Ethylbenzene	ND	0.5	0.06	"	1	"	"	"	"	
m,p-Xylene	ND	1.0	0.1	"	1	"	"	"	"	
o-Xylene	ND	0.5	0.08	"	1	"	"	"	"	
Xylenes, total	ND	1.0	0.2	"	1	"	"	"	"	
Styrene	ND	0.5	0.08	"	1	"	"	"	"	
Bromoform	ND	0.5	0.1	"	1	"	"	"	"	
Isopropylbenzene	ND	0.5	0.09	"	1	"	"	"	"	
Bromobenzene	ND	0.5	0.09	"	1	"	"	"	"	
1,1,2,2-Tetrachloroethane	ND	0.5	0.2	"	1	"	"	"	"	
1,2,3-Trichloropropane	ND	0.5	0.1	"	1	"	"	"	"	
n-Propylbenzene	ND	0.5	0.07	"	1	"	"	"	"	
2-Chlorotoluene	ND	0.5	0.1	"	1	"	"	"	"	
4-Chlorotoluene	ND	0.5	0.2	"	1	"	"	"	"	
1,3,5-Trimethylbenzene	ND	0.5	0.1	"	1	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21

AWL 120417-33

1204188-04 (Water)

Analyte	Result	Reporting Limit	MDL	Units	DF	Batch	Date Prepared	Date Analyzed	Method	Notes
Volatile Organic Compounds by GC/MS										
tert-Butylbenzene	ND	0.5	0.1	ug/l	1	AVD0260	04/18/12	04/18/12	"	
1,2,4-Trimethylbenzene	ND	0.5	0.09	"	1	"	"	"	"	
sec-Butylbenzene	ND	0.5	0.07	"	1	"	"	"	"	
1,3-Dichlorobenzene	ND	0.5	0.1	"	1	"	"	"	"	
4-Isopropyltoluene	ND	0.5	0.1	"	1	"	"	"	"	
1,4-Dichlorobenzene	ND	0.5	0.1	"	1	"	"	"	"	
1,2-Dichlorobenzene	ND	0.5	0.2	"	1	"	"	"	"	
n-Butylbenzene	ND	0.5	0.08	"	1	"	"	"	"	
1,2-Dibromo-3-chloropropane	ND	0.5	0.3	"	1	"	"	"	"	
1,2,4-Trichlorobenzene	ND	0.5	0.09	"	1	"	"	"	"	
Hexachlorobutadiene	ND	0.5	0.2	"	1	"	"	"	"	
Naphthalene	ND	0.5	0.1	"	1	"	"	"	"	
1,2,3-Trichlorobenzene	ND	0.5	0.2	"	1	"	"	"	"	
Surrogate: Dibromofluoromethane	*99.4 %*	% Recovery Limits		*70-130*					*"*	
Surrogate: Toluene-d8	*101 %*	% Recovery Limits		*70-130*					*"*	
Surrogate: 4-Bromofluorobenzene	*96.4 %*	% Recovery Limits		*70-130*					*"*	
Wet Chemistry										
MBAS	ND	0.100	0.0600	mg/L	1	AVD0284	04/18/12	04/19/12	SM5540C	
Ion Chromatography										
Nitrate as Nitrogen	**3.16**	0.11	0.02	mg/L	1	AVD0287	04/17/12	04/17/12	EPA 300.0	
Nitrite as Nitrogen	ND	0.15	0.02	"	1	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21

AWL 120417-34

1204188-05 (Water)

Analyte	Result	Reporting Limit	MDL	Units	DF	Batch	Date Prepared	Date Analyzed	Method	Notes
Metals by 200 series										
Aluminum	**3280**	50.0	24.5	ug/l	1	AVD0360	04/19/12	04/26/12	EPA 200.7	
Arsenic	**2.1**	10.0	1.0	"	1	"	"	"	"	J
Boron	**203**	50.0	0.8	"	1	"	"	"	"	
Iron	**5570**	20.0	11.5	"	1	"	"	"	"	
Manganese	**286**	10.0	0.6	"	1	"	"	"	"	
Sodium	**155000**	200	120	"	1	"	"	"	"	
Volatile Organic Compounds by GC/MS										
Gasoline Range Hydrocarbons	ND	50.0	9.0	ug/l	1	AVD0260	04/18/12	04/18/12	EPA 8260B	
Ethanol	ND	20.0	2.6	"	1	"	"	"	"	
TBA	ND	5.0	1.2	"	1	"	"	"	"	
Methyl tert-Butyl Ether	ND	0.5	0.07	"	1	"	"	"	"	
Di-isopropyl ether	ND	0.5	0.07	"	1	"	"	"	"	
Ethyl tert-Butyl Ether	ND	0.5	0.06	"	1	"	"	"	"	
Tert-Amyl Methyl Ether	ND	0.5	0.08	"	1	"	"	"	"	
Dichlorodifluoromethane	ND	0.5	0.1	"	1	"	"	"	"	
Chloromethane	ND	0.5	0.1	"	1	"	"	"	"	
Vinyl chloride	ND	0.5	0.08	"	1	"	"	"	"	
Bromomethane	ND	0.5	0.2	"	1	"	"	"	"	
Chloroethane	ND	0.5	0.2	"	1	"	"	"	"	
Trichlorofluoromethane	ND	0.5	0.1	"	1	"	"	"	"	
Trichlorotrifluoroethane	ND	1.0	0.1	"	1	"	"	"	"	
Acetone	ND	5.0	0.6	"	1	"	"	"	"	
1,1-Dichloroethene	ND	0.5	0.05	"	1	"	"	"	"	
Iodomethane	ND	0.5	0.09	"	1	"	"	"	"	
Methylene chloride	ND	5.0	0.1	"	1	"	"	"	"	
Carbon disulfide	ND	0.5	0.08	"	1	"	"	"	"	
trans-1,2-Dichloroethene	ND	0.5	0.08	"	1	"	"	"	"	
1,1-Dichloroethane	ND	0.5	0.07	"	1	"	"	"	"	
2-Butanone	ND	5.0	0.4	"	1	"	"	"	"	
2,2-Dichloropropane	ND	0.5	0.2	"	1	"	"	"	"	
cis-1,2-Dichloroethene	ND	0.5	0.08	"	1	"	"	"	"	
Bromochloromethane	ND	0.5	0.2	"	1	"	"	"	"	
Chloroform	ND	0.5	0.1	"	1	"	"	"	"	
1,1,1-Trichloroethane	ND	0.5	0.08	"	1	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21

AWL 120417-34

1204188-05 (Water)

Analyte	Result	Reporting Limit	MDL	Units	DF	Batch	Date Prepared	Date Analyzed	Method	Notes
Volatile Organic Compounds by GC/MS										
Carbon tetrachloride	ND	0.5	0.1	ug/l	1	AVD0260	04/18/12	04/18/12	"	
1,1-Dichloropropene	ND	0.5	0.08	"	1	"	"	"	"	
Benzene	ND	0.5	0.06	"	1	"	"	"	"	
1,2-Dichloroethane	ND	0.5	0.09	"	1	"	"	"	"	
Dibromomethane	ND	0.5	0.1	"	1	"	"	"	"	
Trichloroethene	ND	0.5	0.09	"	1	"	"	"	"	
Bromodichloromethane	ND	0.5	0.1	"	1	"	"	"	"	
1,2-Dichloropropane	ND	0.5	0.1	"	1	"	"	"	"	
cis-1,3-Dichloropropene	ND	0.5	0.08	"	1	"	"	"	"	
4-Methyl-2-pentanone	ND	5.0	0.3	"	1	"	"	"	"	
Toluene	ND	0.5	0.09	"	1	"	"	"	"	
trans-1,3-Dichloropropene	ND	0.5	0.1	"	1	"	"	"	"	
1,1,2-Trichloroethane	ND	0.5	0.09	"	1	"	"	"	"	
Tetrachloroethene	ND	0.5	0.2	"	1	"	"	"	"	
1,3-Dichloropropane	ND	0.5	0.2	"	1	"	"	"	"	
2-Hexanone	ND	5.0	0.4	"	1	"	"	"	"	
Dibromochloromethane	ND	0.5	0.08	"	1	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.5	0.09	"	1	"	"	"	"	
Chlorobenzene	ND	0.5	0.08	"	1	"	"	"	"	
1,1,1,2-Tetrachloroethane	ND	0.5	0.1	"	1	"	"	"	"	
Ethylbenzene	ND	0.5	0.06	"	1	"	"	"	"	
m,p-Xylene	ND	1.0	0.1	"	1	"	"	"	"	
o-Xylene	ND	0.5	0.08	"	1	"	"	"	"	
Xylenes, total	ND	1.0	0.2	"	1	"	"	"	"	
Styrene	ND	0.5	0.08	"	1	"	"	"	"	
Bromoform	ND	0.5	0.1	"	1	"	"	"	"	
Isopropylbenzene	ND	0.5	0.09	"	1	"	"	"	"	
Bromobenzene	ND	0.5	0.09	"	1	"	"	"	"	
1,1,2,2-Tetrachloroethane	ND	0.5	0.2	"	1	"	"	"	"	
1,2,3-Trichloropropane	ND	0.5	0.1	"	1	"	"	"	"	
n-Propylbenzene	ND	0.5	0.07	"	1	"	"	"	"	
2-Chlorotoluene	ND	0.5	0.1	"	1	"	"	"	"	
4-Chlorotoluene	ND	0.5	0.2	"	1	"	"	"	"	
1,3,5-Trimethylbenzene	ND	0.5	0.1	"	1	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21

AWL 120417-34

1204188-05 (Water)

Analyte	Result	Reporting Limit	MDL	Units	DF	Batch	Date Prepared	Date Analyzed	Method	Notes
Volatile Organic Compounds by GC/MS										
tert-Butylbenzene	ND	0.5	0.1	ug/l	1	AVD0260	04/18/12	04/18/12	"	
1,2,4-Trimethylbenzene	ND	0.5	0.09	"	1	"	"	"	"	
sec-Butylbenzene	ND	0.5	0.07	"	1	"	"	"	"	
1,3-Dichlorobenzene	ND	0.5	0.1	"	1	"	"	"	"	
4-Isopropyltoluene	ND	0.5	0.1	"	1	"	"	"	"	
1,4-Dichlorobenzene	ND	0.5	0.1	"	1	"	"	"	"	
1,2-Dichlorobenzene	ND	0.5	0.2	"	1	"	"	"	"	
n-Butylbenzene	ND	0.5	0.08	"	1	"	"	"	"	
1,2-Dibromo-3-chloropropane	ND	0.5	0.3	"	1	"	"	"	"	
1,2,4-Trichlorobenzene	ND	0.5	0.09	"	1	"	"	"	"	
Hexachlorobutadiene	ND	0.5	0.2	"	1	"	"	"	"	
Naphthalene	ND	0.5	0.1	"	1	"	"	"	"	
1,2,3-Trichlorobenzene	ND	0.5	0.2	"	1	"	"	"	"	
Surrogate: Dibromofluoromethane	*98.6 %*	% Recovery Limits		*70-130*					*"*	
Surrogate: Toluene-d8	*101 %*	% Recovery Limits		*70-130*					*"*	
Surrogate: 4-Bromofluorobenzene	*97.8 %*	% Recovery Limits		*70-130*					*"*	
Wet Chemistry										
MBAS	ND	0.100	0.0600	mg/L	1	AVD0284	04/18/12	04/19/12	SM5540C	
Ion Chromatography										
Nitrate as Nitrogen	**0.53**	0.11	0.02	mg/L	1	AVD0287	04/17/12	04/17/12	EPA 300.0	
Nitrite as Nitrogen	ND	0.15	0.02	"	1	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21

AWL 120417-35

1204188-06 (Water)

Analyte	Result	Reporting Limit	MDL	Units	DF	Batch	Date Prepared	Date Analyzed	Method	Notes
Metals by 200 series										
Aluminum	**2550**	50.0	24.5	ug/l	1	AVD0360	04/19/12	04/26/12	EPA 200.7	
Arsenic	**1.8**	10.0	1.0	"	1	"	"	"	"	J
Boron	**193**	50.0	0.8	"	1	"	"	"	"	
Iron	**4880**	20.0	11.5	"	1	"	"	"	"	
Manganese	**319**	10.0	0.6	"	1	"	"	"	"	
Sodium	**124000**	200	120	"	1	"	"	"	"	
Volatile Organic Compounds by GC/MS										
Gasoline Range Hydrocarbons	ND	50.0	9.0	ug/l	1	AVD0260	04/18/12	04/18/12	EPA 8260B	
Ethanol	ND	20.0	2.6	"	1	"	"	"	"	
TBA	ND	5.0	1.2	"	1	"	"	"	"	
Methyl tert-Butyl Ether	ND	0.5	0.07	"	1	"	"	"	"	
Di-isopropyl ether	ND	0.5	0.07	"	1	"	"	"	"	
Ethyl tert-Butyl Ether	ND	0.5	0.06	"	1	"	"	"	"	
Tert-Amyl Methyl Ether	ND	0.5	0.08	"	1	"	"	"	"	
Dichlorodifluoromethane	ND	0.5	0.1	"	1	"	"	"	"	
Chloromethane	ND	0.5	0.1	"	1	"	"	"	"	
Vinyl chloride	ND	0.5	0.08	"	1	"	"	"	"	
Bromomethane	ND	0.5	0.2	"	1	"	"	"	"	
Chloroethane	ND	0.5	0.2	"	1	"	"	"	"	
Trichlorofluoromethane	ND	0.5	0.1	"	1	"	"	"	"	
Trichlorotrifluoroethane	ND	1.0	0.1	"	1	"	"	"	"	
Acetone	ND	5.0	0.6	"	1	"	"	"	"	
1,1-Dichloroethene	ND	0.5	0.05	"	1	"	"	"	"	
Iodomethane	ND	0.5	0.09	"	1	"	"	"	"	
Methylene chloride	ND	5.0	0.1	"	1	"	"	"	"	
Carbon disulfide	ND	0.5	0.08	"	1	"	"	"	"	
trans-1,2-Dichloroethene	ND	0.5	0.08	"	1	"	"	"	"	
1,1-Dichloroethane	ND	0.5	0.07	"	1	"	"	"	"	
2-Butanone	ND	5.0	0.4	"	1	"	"	"	"	
2,2-Dichloropropane	ND	0.5	0.2	"	1	"	"	"	"	
cis-1,2-Dichloroethene	ND	0.5	0.08	"	1	"	"	"	"	
Bromochloromethane	ND	0.5	0.2	"	1	"	"	"	"	
Chloroform	ND	0.5	0.1	"	1	"	"	"	"	
1,1,1-Trichloroethane	ND	0.5	0.08	"	1	"	"	"	"	

Excelchem Environmental Lab.

Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21

AWL 120417-35

1204188-06 (Water)

Analyte	Result	Reporting Limit	MDL	Units	DF	Batch	Date Prepared	Date Analyzed	Method	Notes
Volatile Organic Compounds by GC/MS										
Carbon tetrachloride	ND	0.5	0.1	ug/l	1	AVD0260	04/18/12	04/18/12	"	
1,1-Dichloropropene	ND	0.5	0.08	"	1	"	"	"	"	
Benzene	ND	0.5	0.06	"	1	"	"	"	"	
1,2-Dichloroethane	ND	0.5	0.09	"	1	"	"	"	"	
Dibromomethane	ND	0.5	0.1	"	1	"	"	"	"	
Trichloroethene	ND	0.5	0.09	"	1	"	"	"	"	
Bromodichloromethane	ND	0.5	0.1	"	1	"	"	"	"	
1,2-Dichloropropane	ND	0.5	0.1	"	1	"	"	"	"	
cis-1,3-Dichloropropene	ND	0.5	0.08	"	1	"	"	"	"	
4-Methyl-2-pentanone	ND	5.0	0.3	"	1	"	"	"	"	
Toluene	ND	0.5	0.09	"	1	"	"	"	"	
trans-1,3-Dichloropropene	ND	0.5	0.1	"	1	"	"	"	"	
1,1,2-Trichloroethane	ND	0.5	0.09	"	1	"	"	"	"	
Tetrachloroethene	ND	0.5	0.2	"	1	"	"	"	"	
1,3-Dichloropropane	ND	0.5	0.2	"	1	"	"	"	"	
2-Hexanone	ND	5.0	0.4	"	1	"	"	"	"	
Dibromochloromethane	ND	0.5	0.08	"	1	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.5	0.09	"	1	"	"	"	"	
Chlorobenzene	ND	0.5	0.08	"	1	"	"	"	"	
1,1,1,2-Tetrachloroethane	ND	0.5	0.1	"	1	"	"	"	"	
Ethylbenzene	ND	0.5	0.06	"	1	"	"	"	"	
m,p-Xylene	ND	1.0	0.1	"	1	"	"	"	"	
o-Xylene	ND	0.5	0.08	"	1	"	"	"	"	
Xylenes, total	ND	1.0	0.2	"	1	"	"	"	"	
Styrene	ND	0.5	0.08	"	1	"	"	"	"	
Bromoform	ND	0.5	0.1	"	1	"	"	"	"	
Isopropylbenzene	ND	0.5	0.09	"	1	"	"	"	"	
Bromobenzene	ND	0.5	0.09	"	1	"	"	"	"	
1,1,2,2-Tetrachloroethane	ND	0.5	0.2	"	1	"	"	"	"	
1,2,3-Trichloropropane	ND	0.5	0.1	"	1	"	"	"	"	
n-Propylbenzene	ND	0.5	0.07	"	1	"	"	"	"	
2-Chlorotoluene	ND	0.5	0.1	"	1	"	"	"	"	
4-Chlorotoluene	ND	0.5	0.2	"	1	"	"	"	"	
1,3,5-Trimethylbenzene	ND	0.5	0.1	"	1	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21

AWL 120417-35

1204188-06 (Water)

Analyte	Result	Reporting Limit	MDL	Units	DF	Batch	Date Prepared	Date Analyzed	Method	Notes
Volatile Organic Compounds by GC/MS										
tert-Butylbenzene	ND	0.5	0.1	ug/l	1	AVD0260	04/18/12	04/18/12	"	
1,2,4-Trimethylbenzene	ND	0.5	0.09	"	1	"	"	"	"	
sec-Butylbenzene	ND	0.5	0.07	"	1	"	"	"	"	
1,3-Dichlorobenzene	ND	0.5	0.1	"	1	"	"	"	"	
4-Isopropyltoluene	ND	0.5	0.1	"	1	"	"	"	"	
1,4-Dichlorobenzene	ND	0.5	0.1	"	1	"	"	"	"	
1,2-Dichlorobenzene	ND	0.5	0.2	"	1	"	"	"	"	
n-Butylbenzene	ND	0.5	0.08	"	1	"	"	"	"	
1,2-Dibromo-3-chloropropane	ND	0.5	0.3	"	1	"	"	"	"	
1,2,4-Trichlorobenzene	ND	0.5	0.09	"	1	"	"	"	"	
Hexachlorobutadiene	ND	0.5	0.2	"	1	"	"	"	"	
Naphthalene	ND	0.5	0.1	"	1	"	"	"	"	
1,2,3-Trichlorobenzene	ND	0.5	0.2	"	1	"	"	"	"	
Surrogate: Dibromofluoromethane	*102 %*	% Recovery Limits		*70-130*					*"*	
Surrogate: Toluene-d8	*102 %*	% Recovery Limits		*70-130*					*"*	
Surrogate: 4-Bromofluorobenzene	*97.0 %*	% Recovery Limits		*70-130*					*"*	
Wet Chemistry										
MBAS	ND	0.100	0.0600	mg/L	1	AVD0284	04/18/12	04/19/12	SM5540C	
Ion Chromatography										
Nitrate as Nitrogen	**0.33**	0.11	0.02	mg/L	1	AVD0287	04/17/12	04/17/12	EPA 300.0	
Nitrite as Nitrogen	ND	0.15	0.02	"	1	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21

AWL 120417-36

1204188-07 (Water)

Analyte	Result	Reporting Limit	MDL	Units	DF	Batch	Date Prepared	Date Analyzed	Method	Notes
Metals by 200 series										
Aluminum	**874**	50.0	24.5	ug/l	1	AVD0360	04/19/12	04/26/12	EPA 200.7	
Arsenic	**1.5**	10.0	1.0	"	1	"	"	"	"	J
Boron	**104**	50.0	0.8	"	1	"	"	"	"	
Iron	**1270**	20.0	11.5	"	1	"	"	"	"	
Manganese	**230**	10.0	0.6	"	1	"	"	"	"	
Sodium	**45300**	200	120	"	1	"	"	"	"	
Volatile Organic Compounds by GC/MS										
Gasoline Range Hydrocarbons	ND	50.0	9.0	ug/l	1	AVD0260	04/19/12	04/19/12	EPA 8260B	
Ethanol	ND	20.0	2.6	"	1	"	"	"	"	
TBA	ND	5.0	1.2	"	1	"	"	"	"	
Methyl tert-Butyl Ether	ND	0.5	0.07	"	1	"	"	"	"	
Di-isopropyl ether	ND	0.5	0.07	"	1	"	"	"	"	
Ethyl tert-Butyl Ether	ND	0.5	0.06	"	1	"	"	"	"	
Tert-Amyl Methyl Ether	ND	0.5	0.08	"	1	"	"	"	"	
Dichlorodifluoromethane	ND	0.5	0.1	"	1	"	"	"	"	
Chloromethane	ND	0.5	0.1	"	1	"	"	"	"	
Vinyl chloride	ND	0.5	0.08	"	1	"	"	"	"	
Bromomethane	ND	0.5	0.2	"	1	"	"	"	"	
Chloroethane	ND	0.5	0.2	"	1	"	"	"	"	
Trichlorofluoromethane	ND	0.5	0.1	"	1	"	"	"	"	
Trichlorotrifluoroethane	ND	1.0	0.1	"	1	"	"	"	"	
Acetone	ND	5.0	0.6	"	1	"	"	"	"	
1,1-Dichloroethene	ND	0.5	0.05	"	1	"	"	"	"	
Iodomethane	ND	0.5	0.09	"	1	"	"	"	"	
Methylene chloride	ND	5.0	0.1	"	1	"	"	"	"	
Carbon disulfide	ND	0.5	0.08	"	1	"	"	"	"	
trans-1,2-Dichloroethene	ND	0.5	0.08	"	1	"	"	"	"	
1,1-Dichloroethane	ND	0.5	0.07	"	1	"	"	"	"	
2-Butanone	ND	5.0	0.4	"	1	"	"	"	"	
2,2-Dichloropropane	ND	0.5	0.2	"	1	"	"	"	"	
cis-1,2-Dichloroethene	ND	0.5	0.08	"	1	"	"	"	"	
Bromochloromethane	ND	0.5	0.2	"	1	"	"	"	"	
Chloroform	ND	0.5	0.1	"	1	"	"	"	"	
1,1,1-Trichloroethane	ND	0.5	0.08	"	1	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21

AWL 120417-36

1204188-07 (Water)

Analyte	Result	Reporting Limit	MDL	Units	DF	Batch	Date Prepared	Date Analyzed	Method	Notes
Volatile Organic Compounds by GC/MS										
Carbon tetrachloride	ND	0.5	0.1	ug/l	1	AVD0260	04/19/12	04/19/12	"	
1,1-Dichloropropene	ND	0.5	0.08	"	1	"	"	"	"	
Benzene	ND	0.5	0.06	"	1	"	"	"	"	
1,2-Dichloroethane	ND	0.5	0.09	"	1	"	"	"	"	
Dibromomethane	ND	0.5	0.1	"	1	"	"	"	"	
Trichloroethene	ND	0.5	0.09	"	1	"	"	"	"	
Bromodichloromethane	ND	0.5	0.1	"	1	"	"	"	"	
1,2-Dichloropropane	ND	0.5	0.1	"	1	"	"	"	"	
cis-1,3-Dichloropropene	ND	0.5	0.08	"	1	"	"	"	"	
4-Methyl-2-pentanone	ND	5.0	0.3	"	1	"	"	"	"	
Toluene	ND	0.5	0.09	"	1	"	"	"	"	
trans-1,3-Dichloropropene	ND	0.5	0.1	"	1	"	"	"	"	
1,1,2-Trichloroethane	ND	0.5	0.09	"	1	"	"	"	"	
Tetrachloroethene	ND	0.5	0.2	"	1	"	"	"	"	
1,3-Dichloropropane	ND	0.5	0.2	"	1	"	"	"	"	
2-Hexanone	ND	5.0	0.4	"	1	"	"	"	"	
Dibromochloromethane	ND	0.5	0.08	"	1	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.5	0.09	"	1	"	"	"	"	
Chlorobenzene	ND	0.5	0.08	"	1	"	"	"	"	
1,1,1,2-Tetrachloroethane	ND	0.5	0.1	"	1	"	"	"	"	
Ethylbenzene	ND	0.5	0.06	"	1	"	"	"	"	
m,p-Xylene	ND	1.0	0.1	"	1	"	"	"	"	
o-Xylene	ND	0.5	0.08	"	1	"	"	"	"	
Xylenes, total	ND	1.0	0.2	"	1	"	"	"	"	
Styrene	ND	0.5	0.08	"	1	"	"	"	"	
Bromoform	ND	0.5	0.1	"	1	"	"	"	"	
Isopropylbenzene	ND	0.5	0.09	"	1	"	"	"	"	
Bromobenzene	ND	0.5	0.09	"	1	"	"	"	"	
1,1,2,2-Tetrachloroethane	ND	0.5	0.2	"	1	"	"	"	"	
1,2,3-Trichloropropane	ND	0.5	0.1	"	1	"	"	"	"	
n-Propylbenzene	ND	0.5	0.07	"	1	"	"	"	"	
2-Chlorotoluene	ND	0.5	0.1	"	1	"	"	"	"	
4-Chlorotoluene	ND	0.5	0.2	"	1	"	"	"	"	
1,3,5-Trimethylbenzene	ND	0.5	0.1	"	1	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21

AWL 120417-36

1204188-07 (Water)

Analyte	Result	Reporting Limit	MDL	Units	DF	Batch	Date Prepared	Date Analyzed	Method	Notes
Volatile Organic Compounds by GC/MS										
tert-Butylbenzene	ND	0.5	0.1	ug/l	1	AVD0260	04/19/12	04/19/12	"	
1,2,4-Trimethylbenzene	ND	0.5	0.09	"	1	"	"	"	"	
sec-Butylbenzene	ND	0.5	0.07	"	1	"	"	"	"	
1,3-Dichlorobenzene	ND	0.5	0.1	"	1	"	"	"	"	
4-Isopropyltoluene	ND	0.5	0.1	"	1	"	"	"	"	
1,4-Dichlorobenzene	ND	0.5	0.1	"	1	"	"	"	"	
1,2-Dichlorobenzene	ND	0.5	0.2	"	1	"	"	"	"	
n-Butylbenzene	ND	0.5	0.08	"	1	"	"	"	"	
1,2-Dibromo-3-chloropropane	ND	0.5	0.3	"	1	"	"	"	"	
1,2,4-Trichlorobenzene	ND	0.5	0.09	"	1	"	"	"	"	
Hexachlorobutadiene	ND	0.5	0.2	"	1	"	"	"	"	
Naphthalene	ND	0.5	0.1	"	1	"	"	"	"	
1,2,3-Trichlorobenzene	ND	0.5	0.2	"	1	"	"	"	"	
Surrogate: Dibromofluoromethane	*99.3 %*	% Recovery Limits		*70-130*					*"*	
Surrogate: Toluene-d8	*102 %*	% Recovery Limits		*70-130*					*"*	
Surrogate: 4-Bromofluorobenzene	*96.8 %*	% Recovery Limits		*70-130*					*"*	
Wet Chemistry										
MBAS	ND	0.100	0.0600	mg/L	1	AVD0284	04/18/12	04/19/12	SM5540C	
Ion Chromatography										
Nitrate as Nitrogen	**0.16**	0.11	0.02	mg/L	1	AVD0287	04/17/12	04/17/12	EPA 300.0	
Nitrite as Nitrogen	ND	0.15	0.02	"	1	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21

AWL 120417-37

1204188-08 (Water)

Analyte	Result	Reporting Limit	MDL	Units	DF	Batch	Date Prepared	Date Analyzed	Method	Notes
Metals by 200 series										
Aluminum	**2630**	50.0	24.5	ug/l	1	AVD0360	04/19/12	04/26/12	EPA 200.7	
Arsenic	**2.8**	10.0	1.0	"	1	"	"	"	"	J
Boron	**133**	50.0	0.8	"	1	"	"	"	"	
Iron	**3530**	20.0	11.5	"	1	"	"	"	"	
Manganese	**384**	10.0	0.6	"	1	"	"	"	"	
Sodium	**45400**	200	120	"	1	"	"	"	"	
Volatile Organic Compounds by GC/MS										
Gasoline Range Hydrocarbons	ND	50.0	9.0	ug/l	1	AVD0260	04/19/12	04/19/12	EPA 8260B	
Ethanol	ND	20.0	2.6	"	1	"	"	"	"	
TBA	ND	5.0	1.2	"	1	"	"	"	"	
Methyl tert-Butyl Ether	ND	0.5	0.07	"	1	"	"	"	"	
Di-isopropyl ether	ND	0.5	0.07	"	1	"	"	"	"	
Ethyl tert-Butyl Ether	ND	0.5	0.06	"	1	"	"	"	"	
Tert-Amyl Methyl Ether	ND	0.5	0.08	"	1	"	"	"	"	
Dichlorodifluoromethane	ND	0.5	0.1	"	1	"	"	"	"	
Chloromethane	ND	0.5	0.1	"	1	"	"	"	"	
Vinyl chloride	ND	0.5	0.08	"	1	"	"	"	"	
Bromomethane	ND	0.5	0.2	"	1	"	"	"	"	
Chloroethane	ND	0.5	0.2	"	1	"	"	"	"	
Trichlorofluoromethane	ND	0.5	0.1	"	1	"	"	"	"	
Trichlorotrifluoroethane	ND	1.0	0.1	"	1	"	"	"	"	
Acetone	ND	5.0	0.6	"	1	"	"	"	"	
1,1-Dichloroethene	ND	0.5	0.05	"	1	"	"	"	"	
Iodomethane	ND	0.5	0.09	"	1	"	"	"	"	
Methylene chloride	ND	5.0	0.1	"	1	"	"	"	"	
Carbon disulfide	ND	0.5	0.08	"	1	"	"	"	"	
trans-1,2-Dichloroethene	ND	0.5	0.08	"	1	"	"	"	"	
1,1-Dichloroethane	ND	0.5	0.07	"	1	"	"	"	"	
2-Butanone	ND	5.0	0.4	"	1	"	"	"	"	
2,2-Dichloropropane	ND	0.5	0.2	"	1	"	"	"	"	
cis-1,2-Dichloroethene	ND	0.5	0.08	"	1	"	"	"	"	
Bromochloromethane	ND	0.5	0.2	"	1	"	"	"	"	
Chloroform	ND	0.5	0.1	"	1	"	"	"	"	
1,1,1-Trichloroethane	ND	0.5	0.08	"	1	"	"	"	"	

Excelchem Environmental Lab.

Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21

AWL 120417-37

1204188-08 (Water)

Analyte	Result	Reporting Limit	MDL	Units	DF	Batch	Date Prepared	Date Analyzed	Method	Notes
Volatile Organic Compounds by GC/MS										
Carbon tetrachloride	ND	0.5	0.1	ug/l	1	AVD0260	04/19/12	04/19/12	"	
1,1-Dichloropropene	ND	0.5	0.08	"	1	"	"	"	"	
Benzene	ND	0.5	0.06	"	1	"	"	"	"	
1,2-Dichloroethane	ND	0.5	0.09	"	1	"	"	"	"	
Dibromomethane	ND	0.5	0.1	"	1	"	"	"	"	
Trichloroethene	ND	0.5	0.09	"	1	"	"	"	"	
Bromodichloromethane	ND	0.5	0.1	"	1	"	"	"	"	
1,2-Dichloropropane	ND	0.5	0.1	"	1	"	"	"	"	
cis-1,3-Dichloropropene	ND	0.5	0.08	"	1	"	"	"	"	
4-Methyl-2-pentanone	ND	5.0	0.3	"	1	"	"	"	"	
Toluene	ND	0.5	0.09	"	1	"	"	"	"	
trans-1,3-Dichloropropene	ND	0.5	0.1	"	1	"	"	"	"	
1,1,2-Trichloroethane	ND	0.5	0.09	"	1	"	"	"	"	
Tetrachloroethene	ND	0.5	0.2	"	1	"	"	"	"	
1,3-Dichloropropane	ND	0.5	0.2	"	1	"	"	"	"	
2-Hexanone	ND	5.0	0.4	"	1	"	"	"	"	
Dibromochloromethane	ND	0.5	0.08	"	1	"	"	"	"	
1,2-Dibromoethane (EDB)	ND	0.5	0.09	"	1	"	"	"	"	
Chlorobenzene	ND	0.5	0.08	"	1	"	"	"	"	
1,1,1,2-Tetrachloroethane	ND	0.5	0.1	"	1	"	"	"	"	
Ethylbenzene	ND	0.5	0.06	"	1	"	"	"	"	
m,p-Xylene	ND	1.0	0.1	"	1	"	"	"	"	
o-Xylene	ND	0.5	0.08	"	1	"	"	"	"	
Xylenes, total	ND	1.0	0.2	"	1	"	"	"	"	
Styrene	ND	0.5	0.08	"	1	"	"	"	"	
Bromoform	ND	0.5	0.1	"	1	"	"	"	"	
Isopropylbenzene	ND	0.5	0.09	"	1	"	"	"	"	
Bromobenzene	ND	0.5	0.09	"	1	"	"	"	"	
1,1,2,2-Tetrachloroethane	ND	0.5	0.2	"	1	"	"	"	"	
1,2,3-Trichloropropane	ND	0.5	0.1	"	1	"	"	"	"	
n-Propylbenzene	ND	0.5	0.07	"	1	"	"	"	"	
2-Chlorotoluene	ND	0.5	0.1	"	1	"	"	"	"	
4-Chlorotoluene	ND	0.5	0.2	"	1	"	"	"	"	
1,3,5-Trimethylbenzene	ND	0.5	0.1	"	1	"	"	"	"	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21

AWL 120417-37

1204188-08 (Water)

Analyte	Result	Reporting Limit	MDL	Units	DF	Batch	Date Prepared	Date Analyzed	Method	Notes
Volatile Organic Compounds by GC/MS										
tert-Butylbenzene	ND	0.5	0.1	ug/l	1	AVD0260	04/19/12	04/19/12	"	
1,2,4-Trimethylbenzene	ND	0.5	0.09	"	1	"	"	"	"	
sec-Butylbenzene	ND	0.5	0.07	"	1	"	"	"	"	
1,3-Dichlorobenzene	ND	0.5	0.1	"	1	"	"	"	"	
4-Isopropyltoluene	ND	0.5	0.1	"	1	"	"	"	"	
1,4-Dichlorobenzene	ND	0.5	0.1	"	1	"	"	"	"	
1,2-Dichlorobenzene	ND	0.5	0.2	"	1	"	"	"	"	
n-Butylbenzene	ND	0.5	0.08	"	1	"	"	"	"	
1,2-Dibromo-3-chloropropane	ND	0.5	0.3	"	1	"	"	"	"	
1,2,4-Trichlorobenzene	ND	0.5	0.09	"	1	"	"	"	"	
Hexachlorobutadiene	ND	0.5	0.2	"	1	"	"	"	"	
Naphthalene	ND	0.5	0.1	"	1	"	"	"	"	
1,2,3-Trichlorobenzene	ND	0.5	0.2	"	1	"	"	"	"	
Surrogate: Dibromofluoromethane	*99.3 %*	% Recovery Limits		*70-130*					*"*	
Surrogate: Toluene-d8	*101 %*	% Recovery Limits		*70-130*					*"*	
Surrogate: 4-Bromofluorobenzene	*97.1 %*	% Recovery Limits		*70-130*					*"*	
Wet Chemistry										
MBAS	ND	0.100	0.0600	mg/L	1	AVD0284	04/18/12	04/19/12	SM5540C	
Ion Chromatography										
Nitrate as Nitrogen	**0.15**	0.11	0.02	mg/L	1	AVD0287	04/17/12	04/17/12	EPA 300.0	
Nitrite as Nitrogen	ND	0.15	0.02	"	1	"	"	"	"	

Excelchem Environmental Lab.

Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21

Metals by 200 series - Quality Control

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch AVD0360 - EPA 200.7											
Blank (AVD0360-BLK1)					Prepared: 04/19/12 Analyzed: 04/26/12						
Aluminum	ND	50.0	24.5	ug/l							
Boron	1.50	50.0	0.8	"							J
Arsenic	ND	10.0	1.0	"							
Iron	ND	20.0	11.5	"							
Manganese	ND	10.0	0.6	"							
Sodium	ND	200	120	"							
LCS (AVD0360-BS1)					Prepared: 04/19/12 Analyzed: 04/26/12						
Aluminum	1010	50.0	24.5	ug/l	1000		101	85-115			
Boron	931	50.0	0.8	"	1000		93.1	85-115			
Arsenic	938	10.0	1.0	"	1000		93.8	85-115			
Iron	1020	20.0	11.5	"	1000		102	85-115			
Manganese	1040	10.0	0.6	"	1000		104	85-115			
Sodium	992	200	120	"	1000		99.2	85-115			
LCS Dup (AVD0360-BSD1)					Prepared: 04/19/12 Analyzed: 04/26/12						
Boron	934	50.0	0.8	ug/l	1000		93.4	85-115	0.268	20	
Aluminum	979	50.0	24.5	"	1000		97.9	85-115	3.08	20	
Arsenic	931	10.0	1.0	"	1000		93.1	85-115	0.771	20	
Iron	1010	20.0	11.5	"	1000		101	85-115	0.890	20	
Manganese	1040	10.0	0.6	"	1000		104	85-115	0.578	20	
Sodium	999	200	120	"	1000		99.9	85-115	0.703	20	
Matrix Spike (AVD0360-MS1)			**Source: 1204188-01**		Prepared: 04/19/12 Analyzed: 04/26/12						
Boron	1170	50.0	0.8	ug/l	1000	235	93.3	75-125			
Aluminum	2280	50.0	24.5	"	1000	1100	117	75-125			
Arsenic	966	10.0	1.0	"	1000	ND	96.6	75-125			
Iron	2400	20.0	11.5	"	1000	1460	93.7	75-125			
Manganese	1120	10.0	0.6	"	1000	107	102	75-125			
Sodium	130000	200	120	"	1000	132000	NR	75-125			QL-01

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21

Metals by 200 series - Quality Control

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch AVD0360 - EPA 200.7											
Matrix Spike Dup (AVD0360-MSD1)			**Source: 1204188-01**		Prepared: 04/19/12 Analyzed: 04/26/12						
Boron	1170	50.0	0.8	ug/l	1000	235	93.3	75-125	0.00	25	
Aluminum	2260	50.0	24.5	"	1000	1100	116	75-125	0.660	25	
Arsenic	965	10.0	1.0	"	1000	ND	96.5	75-125	0.114	25	
Iron	2350	20.0	11.5	"	1000	1460	88.6	75-125	2.15	25	
Manganese	1130	10.0	0.6	"	1000	107	102	75-125	0.355	25	
Sodium	129000	200	120	"	1000	132000	NR	75-125	0.154	25	QL-01

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21

Volatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch AVD0260 - EPA 8260B											
Blank (AVD0260-BLK1)				Prepared & Analyzed: 04/18/12							
Surrogate: Dibromofluoromethane	*12.3*			*ug/l*	*12.5*		*98.3*	*70-130*			
Surrogate: Toluene-d8	*12.7*			*"*	*12.5*		*102*	*70-130*			
Surrogate: 4-Bromofluorobenzene	*12.1*			*"*	*12.5*		*96.6*	*70-130*			
Gasoline Range Hydrocarbons	ND	50.0	9.0	"							
Ethanol	ND	20.0	2.6	"							
TBA	ND	5.0	1.2	"							
Methyl tert-Butyl Ether	ND	0.5	0.07	"							
Di-isopropyl ether	ND	0.5	0.07	"							
Ethyl tert-Butyl Ether	ND	0.5	0.06	"							
Tert-Amyl Methyl Ether	ND	0.5	0.08	"							
Dichlorodifluoromethane	ND	0.5	0.1	"							
Chloromethane	ND	0.5	0.1	"							
Vinyl chloride	ND	0.5	0.08	"							
Bromomethane	ND	0.5	0.2	"							
Chloroethane	ND	0.5	0.2	"							
Trichlorofluoromethane	ND	0.5	0.1	"							
Trichlorotrifluoroethane	ND	1.0	0.1	"							
Acetone	ND	5.0	0.6	"							
1,1-Dichloroethene	ND	0.5	0.05	"							
Iodomethane	ND	0.5	0.09	"							
Methylene chloride	ND	5.0	0.1	"							
Carbon disulfide	ND	0.5	0.08	"							
trans-1,2-Dichloroethene	ND	0.5	0.08	"							
1,1-Dichloroethane	ND	0.5	0.07	"							
2-Butanone	ND	5.0	0.4	"							
2,2-Dichloropropane	ND	0.5	0.2	"							
cis-1,2-Dichloroethene	ND	0.5	0.08	"							
Bromochloromethane	ND	0.5	0.2	"							
Chloroform	ND	0.5	0.1	"							
1,1,1-Trichloroethane	ND	0.5	0.08	"							
Carbon tetrachloride	ND	0.5	0.1	"							
1,1-Dichloropropene	ND	0.5	0.08	"							
Benzene	ND	0.5	0.06	"							
1,2-Dichloroethane	ND	0.5	0.09	"							
Dibromomethane	ND	0.5	0.1	"							
Trichloroethene	ND	0.5	0.09	"							
Bromodichloromethane	ND	0.5	0.1	"							
1,2-Dichloropropane	ND	0.5	0.1	"							
cis-1,3-Dichloropropene	ND	0.5	0.08	"							

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21

Volatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch AVD0260 - EPA 8260B											
Blank (AVD0260-BLK1)				Prepared & Analyzed: 04/18/12							
4-Methyl-2-pentanone	ND	5.0	0.3	ug/l							
Toluene	ND	0.5	0.09	"							
trans-1,3-Dichloropropene	ND	0.5	0.1	"							
1,1,2-Trichloroethane	ND	0.5	0.09	"							
Tetrachloroethene	ND	0.5	0.2	"							
1,3-Dichloropropane	ND	0.5	0.2	"							
2-Hexanone	ND	5.0	0.4	"							
Dibromochloromethane	ND	0.5	0.08	"							
1,2-Dibromoethane (EDB)	ND	0.5	0.09	"							
Chlorobenzene	ND	0.5	0.08	"							
1,1,1,2-Tetrachloroethane	ND	0.5	0.1	"							
Ethylbenzene	ND	0.5	0.06	"							
m,p-Xylene	ND	1.0	0.1	"							
o-Xylene	ND	0.5	0.08	"							
Xylenes, total	ND	1.0	0.2	"							
Styrene	ND	0.5	0.08	"							
Bromoform	ND	0.5	0.1	"							
Isopropylbenzene	ND	0.5	0.09	"							
Bromobenzene	ND	0.5	0.09	"							
1,1,2,2-Tetrachloroethane	ND	0.5	0.2	"							
1,2,3-Trichloropropane	ND	0.5	0.1	"							
n-Propylbenzene	ND	0.5	0.07	"							
2-Chlorotoluene	ND	0.5	0.1	"							
4-Chlorotoluene	ND	0.5	0.2	"							
1,3,5-Trimethylbenzene	ND	0.5	0.1	"							
tert-Butylbenzene	ND	0.5	0.1	"							
1,2,4-Trimethylbenzene	ND	0.5	0.09	"							
sec-Butylbenzene	ND	0.5	0.07	"							
1,3-Dichlorobenzene	ND	0.5	0.1	"							
4-Isopropyltoluene	ND	0.5	0.1	"							
1,4-Dichlorobenzene	ND	0.5	0.1	"							
1,2-Dichlorobenzene	ND	0.5	0.2	"							
n-Butylbenzene	ND	0.5	0.08	"							
1,2-Dibromo-3-chloropropane	ND	0.5	0.3	"							
1,2,4-Trichlorobenzene	ND	0.5	0.09	"							
Hexachlorobutadiene	ND	0.5	0.2	"							
Naphthalene	ND	0.5	0.1	"							
1,2,3-Trichlorobenzene	ND	0.5	0.2	"							

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21

Volatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch AVD0260 - EPA 8260B											
LCS (AVD0260-BS1)					Prepared & Analyzed: 04/18/12						
Surrogate: Dibromofluoromethane	*12.0*			*ug/l*	*12.5*		*96.4*	*70-130*			
Surrogate: Toluene-d8	*12.5*			*"*	*12.5*		*100*	*70-130*			
Surrogate: 4-Bromofluorobenzene	*12.1*			*"*	*12.5*		*96.6*	*70-130*			
1,1-Dichloroethene	18.9	0.5	0.05	"	20.0		94.3	80-120			
Benzene	19.8	0.5	0.06	"	20.0		98.8	80-120			
Trichloroethene	17.8	0.5	0.09	"	20.0		88.8	80-120			
Toluene	19.8	0.5	0.09	"	20.0		99.0	80-120			
Chlorobenzene	19.6	0.5	0.08	"	20.0		97.9	80-120			
LCS Dup (AVD0260-BSD1)					Prepared & Analyzed: 04/18/12						
Surrogate: Dibromofluoromethane	*12.4*			*ug/l*	*12.5*		*99.0*	*70-130*			
Surrogate: Toluene-d8	*12.5*			*"*	*12.5*		*99.8*	*70-130*			
Surrogate: 4-Bromofluorobenzene	*12.0*			*"*	*12.5*		*95.7*	*70-130*			
1,1-Dichloroethene	18.7	0.5	0.05	"	20.0		93.7	80-120	0.692	15	
Benzene	19.9	0.5	0.06	"	20.0		99.4	80-120	0.605	15	
Trichloroethene	17.7	0.5	0.09	"	20.0		88.7	80-120	0.0564	15	
Toluene	20.0	0.5	0.09	"	20.0		99.9	80-120	0.855	15	
Chlorobenzene	19.8	0.5	0.08	"	20.0		99.0	80-120	1.17	15	
Matrix Spike (AVD0260-MS1)			**Source: 1204188-01**		Prepared & Analyzed: 04/18/12						
Surrogate: Dibromofluoromethane	*12.3*			*ug/l*	*12.5*		*98.5*	*70-130*			
Surrogate: Toluene-d8	*12.5*			*"*	*12.5*		*100*	*70-130*			
Surrogate: 4-Bromofluorobenzene	*12.1*			*"*	*12.5*		*96.6*	*70-130*			
1,1-Dichloroethene	19.0	0.5	0.05	"	20.0	ND	95.2	80-120			
Benzene	20.0	0.5	0.06	"	20.0	ND	100	80-120			
Trichloroethene	18.1	0.5	0.09	"	20.0	ND	90.7	80-120			
Toluene	20.4	0.5	0.09	"	20.0	ND	102	80-120			
Chlorobenzene	20.2	0.5	0.08	"	20.0	ND	101	80-120			

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21

Volatile Organic Compounds by GC/MS - Quality Control

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch AVD0260 - EPA 8260B											
Matrix Spike Dup (AVD0260-MSD1)			**Source: 1204188-01**		Prepared & Analyzed: 04/18/12						
Surrogate: Dibromofluoromethane	*12.5*			*ug/l*	*12.5*		*100*	*70-130*			
Surrogate: Toluene-d8	*12.6*			*"*	*12.5*		*101*	*70-130*			
Surrogate: 4-Bromofluorobenzene	*12.2*			*"*	*12.5*		*97.6*	*70-130*			
1,1-Dichloroethene	19.1	0.5	0.05	"	20.0	ND	95.7	80-120	0.472	15	
Benzene	19.6	0.5	0.06	"	20.0	ND	98.3	80-120	2.02	15	
Trichloroethene	17.5	0.5	0.09	"	20.0	ND	87.7	80-120	3.31	15	
Toluene	19.5	0.5	0.09	"	20.0	ND	97.7	80-120	4.21	15	
Chlorobenzene	19.2	0.5	0.08	"	20.0	ND	96.3	80-120	4.77	15	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21

Wet Chemistry - Quality Control

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch AVD0284 - SM5540C											
Blank (AVD0284-BLK1)					Prepared: 04/18/12 Analyzed: 04/19/12						
MBAS	ND	0.100	0.0600	mg/L							
Blank (AVD0284-BLK2)					Prepared & Analyzed: 04/19/12						
MBAS	ND	0.100	0.0600	mg/L							
LCS (AVD0284-BS1)					Prepared: 04/18/12 Analyzed: 04/19/12						
MBAS	0.485	0.100	0.0600	mg/L	0.500		97.0	90-110			
LCS (AVD0284-BS2)					Prepared & Analyzed: 04/19/12						
MBAS	0.484	0.100	0.0600	mg/L	0.500		96.8	90-110			
LCS Dup (AVD0284-BSD1)					Prepared: 04/18/12 Analyzed: 04/19/12						
MBAS	0.474	0.100	0.0600	mg/L	0.500		94.8	90-110	2.29	15	
LCS Dup (AVD0284-BSD2)					Prepared & Analyzed: 04/19/12						
MBAS	0.483	0.100	0.0600	mg/L	0.500		96.6	90-110	0.207	15	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21

Ion Chromatography - Quality Control

Analyte	Result	Reporting Limit	MDL	Units	Spike Level	Source Result	%REC	%REC Limits	RPD	RPD Limit	Notes
Batch AVD0287 - EPA 300.0											
Blank (AVD0287-BLK1)					Prepared & Analyzed: 04/17/12						
Nitrite as Nitrogen	ND	0.15	0.02	mg/L							
Nitrate as Nitrogen	ND	0.11	0.02	"							
LCS (AVD0287-BS1)					Prepared & Analyzed: 04/17/12						
Nitrite as Nitrogen	3.13	0.15	0.02	mg/L	3.05		102	80-120			
Nitrate as Nitrogen	2.24	0.11	0.02	"	2.26		99.0	80-120			
LCS Dup (AVD0287-BSD1)					Prepared & Analyzed: 04/17/12						
Nitrite as Nitrogen	3.12	0.15	0.02	mg/L	3.05		102	80-120	0.204	20	
Nitrate as Nitrogen	2.20	0.11	0.02	"	2.26		97.2	80-120	1.78	20	
Duplicate (AVD0287-DUP1)			**Source: 1204188-01**		Prepared & Analyzed: 04/17/12						
Nitrite as Nitrogen	ND	0.15	0.02	mg/L		ND				20	
Nitrate as Nitrogen	1.52	0.11	0.02	"		1.61			5.77	20	
Matrix Spike (AVD0287-MS1)			**Source: 1204188-01**		Prepared & Analyzed: 04/19/12						
Nitrite as Nitrogen	3.24	0.15	0.02	mg/L	3.05	ND	106	75-125			
Nitrate as Nitrogen	3.94	0.11	0.02	"	2.26	1.61	103	75-125			
Matrix Spike Dup (AVD0287-MSD1)			**Source: 1204188-01**		Prepared & Analyzed: 04/19/12						
Nitrite as Nitrogen	3.40	0.15	0.02	mg/L	3.05	ND	112	75-125	5.02	20	
Nitrate as Nitrogen	4.01	0.11	0.02	"	2.26	1.61	106	75-125	1.86	20	

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21

Notes and Definitions

QL-01 Sample results for the QC batch were accepted based on LCS/LCSD percent recoveries and RPD values.

J Detected but below the Reporting Limit; therefore, result is an estimated concentration (CLP J-Flag).

ND Analyte not detected at reporting limit.

NR Not reported

Analysis Method	Prep Method
EPA 8260, EPA 8021/8015M	EPA 5030B
EPA 8270, EPA 8081, EPA 8082, EPA 8141, EPA 8015M (extractable)	Water - EPA 3510C, Soil- EPA 3550B
Metals	Water- 3005A, Soil- 3050B
TCLP	EPA 1311
Not Specified	Same as Analysis Method

Excelchem Environmental Lab.



Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Excelchem Environmental Labs

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21



CHAIN-OF-CUSTODY RECORD AND ANALYSIS REQUEST

Excelchem Environmental Labs — 1135 W. Sunset Blvd. Suite A, Rocklin, CA 95765, Ph: 916-543-4445, Fx: 916-543-4449

Project Manager: Calvin Yang, Leticia Valadez — Phone #: 916-464-4730

Company/Address: Central Valley Regional Water Quality Control Board, 11020 Sun Center Drive Suite #200, Rancho Cordova, CA 95670 — Fax #: 916-464-4800

Project Number/P.O#: — Project Name: MUN Evaluation

Project Location: — Sampler Name and Signature: Calvin Yang

Electronic Data Deliverables Request: PDF, Geotracker (Global ID), Other (please specify)

Email Address: cyang@waterboards.ca.gov, lvaladez@waterboards.ca.gov

Page 1 of 1

Due Date: 4/24/12

Work Order: 1204188

Bin# 22D, 516, 42C

ANALYSIS REQUEST

Sample ID	Date	Time	VOA	Container: PLASTIC	Method Preserved: HCl	HNO3	ICE	NONE / OTHER	Matrix: WATER	SOIL	AIR	VOC Full list (8260B)	Nitrate as N, Nitrite as N	MBAs	Metals = aluminum, arsenic, iron, manganese (Wet)	Metals =	Metals = (Total)	Metals =	Boron, Sodium	Requested TAT: 2wk	LAB USE ONLY:
AWL120417-30	4/17/2012		x	x	x	x	x		x			x	x	x	x				x	x	01
AWL120417-31	4/17/2012		x	x	x	x	x		x			x	x	x	x				x	x	02
AWL120417-32	4/17/2012		x	x	x	x	x		x			x	x	x	x				x	x	03
AWL120417-33	4/17/2012		x	x	x	x	x		x			x	x	x	x				x	x	04
AWL120417-34	4/17/2012		x	x	x	x	x		x			x	x	x	x				x	x	05
AWL120417-35	4/17/2012		x	x	x	x	x		x			x	x	x	x				x	x	06
AWL120417-36	4/17/2012		x	x	x	x	x		x			x	x	x	x				x	x	07
AWL120417-37	4/17/2012		x	x	x	x	x		x			x	x	x	x				x	x	08
AWL120417-38	4/17/2012		x	x	x	x	x		x			x	x	x	x				x	x	

Relinquished by: (sign and print) — Date: 4/17 — Time: 1610 — Received by: (sign and print)

Relinquished by: (sign and print) — Date: — Time: — Received by Laboratory: (sign and print)

Remarks/Condition of Sample:

Bill To: Leticia Valadez, Central Valley Regional Water Quality Control Board

Excelchem Environmental Lab.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Laboratory Representative

Excelchem Environmental Labs

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21

Sample Integrity

WORK ORDER 12041188

Date Received: 4/17/12

Section 1 – Sample Arrival Info.

Sample Transport: ONTRAC UPS USPS (Walk-In) EXCELCHEM Courier Fed-Ex Other:_____

Transported In: (Ice Chest) Box Hand

Describe type of packing materials: Bubble Wrap Foam Packing Peanuts Paper Other:_____

Has chilling process begun? (Y) N Samples Received: Chilled to Touch / Ambient / (On Ice)

Temperature of Samples (°C): 10 Ice Chest Temperature(s) (°C): —

Section 2 – Bottle/Analysis Info.

	Yes	No	N/A	Comments
Did all bottles arrive unbroken and intact?	X			
Did all bottle labels agree with COC?	X			
Were correct containers used for the tests requested?	X			VOAs were not individually marked with ID. arrived in ziploc bag w/ the sample ID.
Were correct preservations used for the tests requested?	X			
Was a sufficient amount of sample sent for tests indicated?	X			
Were bubbles present in VOA Vials?: **(Volatile Methods Only)**		X		

Section 3 – Summa/Flow regulator Info.

Used Summa#:

Unused Summa#:

Cleaning Summa#: NA

Regulator#:

Was there any visual damage to summa canisters **or** flow regulators? **Explain.**

Section 4 – COC Info.

	Completed Yes	Completed No	Info From Container		Completed Yes	Completed No	Comments
Was COC Received	X			Analysis Requested	X		time of collection not noted on the COC or samples. will use the default 00:00
Date Sampled	X			Samples arrived within holding time	X		
Time Sampled	MG X	X		Any hold times less than 72 hrs	X		
Sample ID	X			Client Name	X		
Rush TAT		Y		Address/Telephone #	X		

Section 5 – Comments / Discrepancies

Was Client notified of discrepancies: Yes No N/A Notified by:

Explanations / Comments:

Samples Labeled by: MG

Bin #s: 516, A2C-A2D

COC Scanned/Attached by: MG

Sample labels reviewed by: _____

Filled Out by: Monica

Date: 4/17/12 MG

Time: 1610

Excelchem Environmental Lab.

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Laboratory Representative

Excelchem Environmental Labs

RWQC Central Valley	Project:	MUN Evaluation	
11020 Sun Center Dr. #200	Project Number:	[none]	Date Reported:
Rancho Cordova, CA 95670	Project Manager:	Calvin Yang	04/30/12 12:21

Front Desk

From: Calvin Yang [ccyang@waterboards.ca.gov]
Sent: Monday, April 23, 2012 9:05 AM
To: Front Desk; Leticia Valadez
Subject: Re: Project MUN Evaluation, WO #1204188

Hi Marisa,

Sorry for not writing the times down. The times are:

-30 -> 9:20
-31 -> 9:01
-32 -> 9:43
-33 -> 11:12
-34 -> 13:20
-35 -> 12:53
-36 -> 11:42
-37 -> 12:10

Thanks,
Calvin

>>> Front Desk <FrontDesk@excelchem.net> 4/18/2012 11:49 AM >>>
Hello,

The COC and the bottles for samples we received on 4/17/12 did not include a time of collection. We have midnight as a default. If you would like this revised, please let me know.

If you have any questions or concerns, please send an e-mail.

Thank you,

Marisa Torres
Excelchem Environmental Labs
1135 W. Sunset Blvd. Suite A
Rocklin, CA 95765
(916) 543-4445 Phone
(916) 543-4449 Fax

1

Excelchem Environmental Lab.

Laboratory Representative

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.